

(19) 世界知的所有権機関  
国際事務局(43) 国際公開日  
2005 年 1 月 20 日 (20.01.2005)

PCT


(10) 国際公開番号  
WO 2005/005450 A1

- (51) 国際特許分類<sup>7</sup>: C07H 21/02, 19/20, 19/10 (81) 指定国 (表示のない限り、全ての種類の国内保護が可能): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (21) 国際出願番号: PCT/JP2004/007000
- (22) 国際出願日: 2004 年 5 月 17 日 (17.05.2004)
- (25) 国際出願の言語: 日本語
- (26) 国際公開の言語: 日本語
- (30) 優先権データ:  
特願2003-274389 2003 年 7 月 15 日 (15.07.2003) JP
- (71) 出願人 (米国を除く全ての指定国について): 三井化学株式会社 (MITSUI CHEMICALS, INC.) [JP/JP]; 〒105-7117 東京都 港区 東新橋一丁目 5 番 2 号 Tokyo (JP).
- (84) 指定国 (表示のない限り、全ての種類の広域保護が可能): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), ユーラシア (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), ユーロッパ (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- (72) 発明者; および
- (75) 発明者/出願人 (米国についてのみ): 早川 芳宏 (HAYAKAWA, Yoshihiro) [JP/JP]; 〒491-0104 愛知県一宮市 浅井町小日比野字上牧 1 2 1 Aichi (JP).

[続葉有]


(54) Title: METHOD OF SYNTHESIZING CYCLIC BISDINUCLEOSIDE

(54) 発明の名称: 環状ビスジヌクレオシドの合成方法



[1]

(57) Abstract: A compound represented by the general formula [2]: [2] (wherein R2 and R3 each independently represents hydrogen, halogeno, methoxy, 2-methoxyethoxy, or hydroxy; and B2 and B3 each independently represents a nucleic acid base) or a salt thereof can be synthesized from a compound represented by the general formula [1]: [1] (wherein R1 represents hydrogen, halogeno, methoxy, 2-methoxyethoxy, or hydroxy substituted by a hydroxy-protecting group, and B1 represents an optionally protected nucleic acid base).



[2]

[続葉有]




添付公開書類:  
— 国際調査報告書

2文字コード及び他の略語については、定期発行される各PCTガゼットの巻頭に掲載されている「コードと略語のガイダンスノート」を参照。


(57) 要約:

一般式[1]



[1]

(式中、R1は水素原子、ハロゲン原子、メキシ基、2-メトキシエトキシ基あるいは水酸基の保護基で置換されたヒドロキシル基を表し、B1は保護されていても良い核酸塩基を表す。)で表される化合物から、一般式[2]



[2]

(式中、R2およびR3は各々独立して水素原子、ハロゲン原子、メキシ基、2-メトキシエトキシ基またはヒドロキシル基を表し、B2およびB3は各々独立して核酸塩基を表す。)で表される化合物またはその塩を合成することができる。